MONTHLY NOTICES

OF THE

ROYAL ASTRONOMICAL SOCIETY

CONTAINING

PAPERS PUBLISHED IN THE PERIOD
1977 OCTOBER TO DECEMBER

VOL. 181

EDITORIAL BOARD

DR D. H. P. JONES, ROYAL GREENWICH OBSERVATORY
DR C. JORDAN, DEPARTMENT OF THEORETICAL PHYSICS, OXFORD
DR M. S. LONGAIR, CAVENDISH LABORATORY, CAMBRIDGE
PROFESSOR B. E. J. PAGEL, ROYAL GREENWICH OBSERVATORY
DR J. R. SHAKESHAFT, MULLARD RADIO ASTRONOMY OBSERVATORY, CAMBRIDGE
PROFESSOR R. J. TAYLER, UNIVERSITY OF SUSSEX ASTRONOMY CENTRE

Published for the Royal Astronomical Society by
Blackwell Scientific Publications
Oxford London Edinburgh Melbourne

AUTHOR INDEX

PAGE

Adelman, S. J., An abundance analysis of Tau Herculis, B5 IV 667
Baggaley, W. J., The meteoric night-glow 203
Baldwin, J. E., Waggett, P. C. and Warner, P. J., NGC 6521, a very large radio galaxy with an exceptional jet. 465
Barr, P., Ives, J. C., Sanford, P. W. and White, N. E., An increase in X-ray absorption of NGC 4151 . 43P
Barrow, J. D. and Matzner, R. A., The homogeneity and isotropy of the Universe 719
Bates, R. H. T., Recovery of fringe visibility from recorded speckle images quantized to two levels 365
Begelman, M. C., Nearly collisionless spherical accretion. 347
Bell, R. A., Clegg, R. E. S. and Powell, A. L. T., The carbon and nitrogen abundances of Gamma Pavonis. 31
Bessell, M. S. and Wickramasinghe, D. T., Spectra of southern white dwarfs 713
Binney, J., Dynamical friction in aspherical clusters 735
Blades, J. C. and Somerville, W. B., Non-anomalous diffuse interstellar absorption features in Rho Leonis 769
Blake, G. M., An upper limit to the cosmological variation of Planck's constant derived from the spectrum of the microwave background radiation 47P
Blandford, R. D., Spectrum of a radio pulse from an exploding black hole 489
Boiko, V. A., Faenov, A. Ya., Pikuz, S. A. and Safranova, U. I., The analysis of satellites to the H-like ion resonance lines observed in the X-ray region. 107
Boksenberg, A., Carswell, R. F., Smith, M. G. and Whelan, J. A. J., Confirmation of the highest redshift QSO candidates from the Tololo deep survey 67P
Booth, R. S., Davies, R. D. and Pedlar, A., Limits on neutral hydrogen in the direction of PHL 957. 1P
Booth, R. S., Davies, R. D. and Perbet, J.-N., Saturation effects in OH maser clouds. 83
Burch, S. F., Multifrequency radio observations of 3C 31: a large radio galaxy with jets and peculiar spectra 599
Carr, B. J., Black hole and galaxy formation in a cold early Universe. 293
Carswell, R. F. (*see* Boksenberg, A.)
Carswell, R. F., Smith, M. G. and Whelan, J. A. J., Q 0002 – 42: a QSO with $z_{abs} \ll z_{em}$ 81P
Caswell, J. L., G127.1 + 0.5 – A remarkable supernova remnant centred on a very compact radio source? 789
Caswell, J. L., Goss, W. M., Hawarden, T. G., Haynes, R. F. Little, A. G., Longmore, A. J., Mayo S. K., McAdam, W. B., Murdin, P. G., Peterson, B. A., Simons, L. W., Whelan, J. A. J. and Wickramasinghe, D. T., The optical and radio counterpart of Circinus X-1 (3U 1516 – 56) 259
Caswell, J. L., Goss, W. M. and Haynes, R. F., New OH masers in the direction of H_2O masers 427
Catchpole, R. M., Robertson, B. S. C. and Warren, P. R., Spectroscopic radial velocity and photometric observations of barium stars. 391
Christiansen, W. N., Frater, R. H., Goss, W. M., Lockhart, I. A., O'Sullivan, J. D. and Watkinson, A., Observations of 15 southern extragalactic sources with the Fleurs synthesis telescope. 183
Clark, D. H., Longmore, A. J. and Murdin, P., A new optical supernova in Crux 541
Clegg, R. E. S., Carbon and nitrogen abundances in F- and G-type stars 1
Clegg, R. E. S. (*see* Bell, R. A.)
Cohen, M., Hudson, H. S., O'Dell, S. L. and Stein, W. A., A study of the planetary nebulae Abell 30 and Abell 78 233
Coles, W. A. and Kaufman, J. J., Angular size of the Crab Pulsar at 74 MHz. 57P
Colley, D. and Scott, P. F., Observations of radio sources near K3–50 703
Culhane, J. L., Ives, J. C. and Mitchell, R. J., The X-ray temperature of eight clusters of galaxies and their relationship to other cluster properties 25P
Davies, R. D. (*see* Booth, R. S.)
Davison, P. J. N., Pye, J. P. and Watson, M. G., The binary X-ray pulsar 3U 1538 – 52 . . . . . 73P
Dilworth, C., Maraschi, L., Perola, G. C. and Tanzi, E. G., A spherical model for the transient X-ray source A0620 – 00 339
Dodd, R. J., Hilditch, R. W. and MacGillivray, H. T., The Galactic cluster NGC 2527 729
Dworetsky, M. M., Etzel, P. B., Lanning, H. H. and Patenaude, D. J., BD – 3° 5357: an eclipsing binary with a hot subdwarf component 13P
Elliott, K. H. and Meaburn, J., Line profiles from the ionized and neutral gas in the peculiar nebula NGC 6302. 499
Ellis, R. S., Fong, R. and Phillipps, S., Angular diameter counts of galaxies, a method for determining the selection criteria for deep Schmidt plates. 163
Elvis, M., Lawrence, A. and Pye, J. P., Ariel V Sky Survey: X-ray variability of NGC 5128 . . . . . 93P

PAGE
Emerson, D. T. and Newton, K., Neutral hydrogen in the outer regions of M31 573
Etzel, P. B. (*see* Dworetsky, M. M.)
Evans, N. R., An observational check on the phase shifts determined by the angular diameter method of distance determination for classical Cepheids. 85P
Fabian, A. C. and Pringle, J. E., On the spatial distribution of heavy elements in X-ray emitting clusters of galaxies 5P
Faenov, A. Y. (*see* Boiko, V. A.)
Fall, S. M. and Rees, M. J., Survival and disruption of galactic substructure. 37P
Feast, M. W. and Glass, I. S., *J*, *H*, *K* photometry in the globular cluster Omega Centauri and the spread of the giant branch 509
Fennelly, A. J., Anisotropy in the Hubble parameter and large-scale cosmological inhomogeneity . . 121
Ferrari-Toniolo, M., Persi, P. and Viotti, R., The energy distribution and the recent light history of X Persei. 685
Fong, R. (*see* Ellis, R. S.)
Frater, R. H. (*see* Christiansen, W. N.)
Freitas Pacheco, J. A. de, The chemical composition of the Nova Cephei 1971 ejecta 421
Frisch, H. and Frisch, U., Non-LTE transfer – III. Asymptotic expansion for small ϵ 273
Frisch, H. and Froeschle, Ch., Non-LTE transfer – IV. A rapidly convergent iterative method for the Wiener–Hopf integral equations 281
Frisch, U. and Frisch, H., Non-LTE transfer – III. Asymptotic expansion for small ϵ 273
Froeschle, Ch. and Frisch, H., Non-LTE transfer – IV. A rapidly convergent iterative method for the Wiener–Hopf integral equations 281
Gillespie, A. R., Observations of the NGC 7331/Stephan's Quintet area at 1421 MHz 149
Gingold, R. A. and Monaghan, J. J., Smoothed particle hydrodynamics: theory and application to non-spherical stars 375
Glass, I. S. and Feast, M. W., *J*, *H*, *K* photometry in the globular cluster Omega Centauri and the spread of the giant branch 509
Godwin, J. G. and Peach, J. V., Studies of rich clusters of galaxies – IV. Photometry of the Coma Cluster 323
Gopal-Krishna, A study of the bridges in the radio galaxies 3C 132 and 3C 192 at metre and centimetre wavelengths 247
Goss, W. M. (*see* Caswell, J. L.)
Goss, W. M. (*see* Christiansen, W. N.)
Goss, W. M. and Mebold, U., The distance of Cir X-1. 255
Hawarden, T. G. (*see* Caswell, J. L.)
Haynes, R. F. (*see* Caswell, J. L.)
Hilditch, R. W. (*see* Dodd, R. J.)
Holloway, N. J., Angular momentum and energy loss from pulsars. 9P
Hoyle, F. and Wickramasinghe, N. C., Polysaccharides and the infrared spectrum of OH 26.5+0.6. . 51P
Hudson, H. S. (*see* Cohen, M.)
Hughes, D. W. and Taylor, I. W., Observations of overdense Quadrantid radio meteors and the variation of the position of stream maxima with meteor magnitude 517
Hutchings, J. B., The 580-day and other periodicities in X Persei. 619
Ives, J. C. (*see* Barr, P.)
Ives, J. C. (*see* Culhane, J. L.)
John, T. L. and Williams, R. J., Improved estimates of continuous absorption from the free–free transitions of C^-. 483
Jorden, P. R., MacGregor, A. D., Sánchez Magro, C., Selby, M. J. and Whitelock, P. A., Infrared sources in the compact H II region G45.5+0.1 157
Kaufman, J. J. and Coles, W. A., Angular size of the Crab Pulsar at 74 MHz. 57P
Kembhavi, A. K. and Kulkarni, V. K., Absolute magnitudes and Hubble plot for QSOs 19P
Kilkenny, D., Photometry of faint blue stars – IV. Four-colour photometry of some northern stars 611
Kulkarni, V. K. and Kembhavi, A. K., Absolute magnitudes and Hubble plot for QSOs 19P
Lanning, H. H. (*see* Dworetsky, M. M.)
Lawrence, A. (*see* Elvis, M.)
Lin, D. N. C. and Lynden-Bell, D., On the motions of the Sun, the Galaxy and the Andromeda nebula 37
Lin, D. N. C. and Lynden-Bell, D., Simulation of the Magellanic Stream to estimate the total mass of the Milky Way 59
Little, A. G. (*see* Caswell, J. L.)

*

PAGE

Little, L. T., Matheson, D. N. and Riley, P. W., Detection of the $J = 9 \rightarrow 8$ transition of interstellar cyanodiacetylene 33P
Lloyd Evans, T., Near infrared photometry of globular clusters – VIII. The anomalous giant branch of ω Centauri 591
Lockhart, I. A. (*see* Christiansen, W. N.)
Longmore, A. J. (*see* Caswell, J. L.)
Longmore, A. J. (*see* Clark, D. H.)
Lynden-Bell, D. and Lin, D. N. C., On the motions of the Sun, the Galaxy and the Andromeda nebula 37
Lynden-Bell, D. and Lin, D. N. C., Simulation of the Magellanic Stream to estimate the total mass of the Milky Way 59
Lynden-Bell, D. and Lynden-Bell, R. M., On the negative specific heat paradox 405
Lynden-Bell, R. M. and Lynden-Bell, D., On the negative specific heat paradox 405
Lyne, A. G. and Manchester, R. N., Pulsar interpulses – two poles or one? 761
McAdam, W. B. (*see* Caswell, J. L.)
MacGillivray, H. T. (*see* Dodd, R. J.)
MacGregor, A. D. (*see* Jorden, P. R.)
Manchester, R. N. and Lyne, A. G., Pulsar interpulses – two poles or one? 761
Maraschi, L. (*see* Dilworth, C.)
Matheson, D. N. (*see* Little, L. T.)
Matzner, R. A. and Barrow, J. D., The homogeneity and isotropy of the Universe 719
Mayo, S. K. (*see* Caswell, J. L.)
Meaburn, J. and Elliott, K. H., Line profiles from the ionized and neutral gas in the peculiar nebula NGC 6302 499
Mebold, U. and Goss, W. M., The distance of Cir X-1 255
Mitchell, R. J. (*see* Culhane, J. L.)
Monaghan, J. J. and Gingold, R. A., Smoothed particle hydrodynamics: theory and application to non-spherical stars 375
Morton, D. C., Seaton, M. J. and Zeippen, C. J., Some oscillator strengths and the interstellar abundance of oxygen 527
Moss, D., Models of magnetic stars – IV: the perpendicular rotator with meridional circulation . . . 747
Mould, J. R. and Wallis, R. E., Band strengths of M stars in the Orion population 625
Murdin, P. (*see* Clark, D. H.)
Murdin, P. and Penston, M. V., The Lambda Orionis association 657
Murdin, P. G. (*see* Caswell, J. L.)
Netzer, H., On the profiles of the broad lines in the spectra of QSOs and Seyfert galaxies 89P
Newton, K. and Emerson, D. T., Neutral hydrogen in the outer regions of M31 573
O'Dell, S. L. (*see* Cohen, M.)
O'Sullivan, J. D. (*see* Christiansen, W. N.)
Papaloizou, J. and Pringle, J. E., Tidal torques on accretion discs in close binary systems 441
Patenaude, D. J. (*see* Dworetsky, M. M.)
Peach, J. V. and Godwin, J. G., Studies of rich clusters of galaxies – IV. Photometry of the Coma Cluster 323
Pedlar, A. (*see* Booth, R. S.)
Penston, M. V. and Murdin, P., The Lambda Orionis association 657
Perbet, J.-N. (*see* Booth, R. S.)
Percy, J. R., The pulsational stability of models of normal and metallic-line A stars 563
Percy, J. R., The application of maximum entropy spectral analysis to the study of short-period variable stars 647
Perola, G. C. (*see* Dilworth, C.)
Persi, P. (*see* Ferrari-Toniolo, M.)
Peterson, B. A. (*see* Caswell, J. L.)
Phillips, A. P., LTE line blanketing of an early B star atmosphere by ultraviolet lines using accurate damping constants 777
Phillipps, S. (*see* Ellis, R. S.)
Pikuz, S. A. (*see* Boiko, V. A.)
Powell, A. L. T. (*see* Bell, R. A.)
Pringle, J. E. and Fabian, A. C., On the spatial distribution of heavy elements in X-ray emitting clusters of galaxies 5P
Pringle, J. E. and Papaloizou, J., Tidal torques on accretion discs in close binary systems 441

PAGE

Pye, J. P. (*see* Davison, P. J. N.)
Pye, J. P. (*see* Elvis, M.)
Read, P. L., A further measurement of the 38-MHz flux density of Cas A 63P
Rees, M. J. and Fall, S. M., Survival and disruption of galactic substructure 37P
Ricketts, M. J. and White, G. J., A deep search for X-ray emission from radio quasars with *Ariel V* . 435
Riley, P. W. (*see* Little, L. T.)
Ring, J. and Wayte, R. C., A high-resolution Michelson interferometer for the Isaac Newton telescope 131
Robertson, B. S. C. (*see* Catchpole, R. M.)
Roxburgh, I. W., Cosmological solutions of the mass integral formulation of general relativity 637
Safranova, U. I. (*see* Boiko, V. A.)
Sánchez Magro, C. (*see* Jorden, P. R.)
Sanford, P. W. (*see* Barr, P.)
Sarma, N. V. G. and Velusamy, T., Structure of Kepler's SNR and the Crab Nebula at 327 MHz from occultation observations 455
Scott, P. F. and Colley, D., Observations of radio sources near K3–50 703
Seaton, M. J. (*see* Morton, D. C.)
Selby, M. J. (*see* Jorden, P. R.)
Simons, L. W. (*see* Caswell, J. L.)
Smith, M. G. (*see* Boksenberg, A.)
Smith, M. G. (*see* Carswell, R. F.)
Somerville, W. B. and Blades, J. C., Non-anomalous diffuse interstellar absorption features in Rho Leonis 769
Stein, W. A. (*see* Cohen, M.)
Strong, A. W., Diffusion models for the low-frequency radio emission from the Galactic halo 311
Tanzi, E. G. (*see* Dilworth, C.)
Taylor, I. W. and Hughes, D. W., Observations of overdense Quadrantid radio meteors and the variation of the position of stream maxima with meteor magnitude 517
Taylor, K., Observations of the [O I], λ 6300 velocity field of NGC 7293, the 'Helix' nebula 475
VandenBerg, D. A., Theoretical isochrones with decreasing gravitational constant – II. Dirac's multiplicative cosmology 695
Velusamy, T. and Sarma, N. V. G., Structure of Kepler's SNR and the Crab Nebula at 327 MHz from occultation observations 455
Viotto, R. (*see* Ferrari-Toniolo, M.)
Waggett, P. C., The 5C 9 survey of radio sources 547
Waggett, P. C. (*see* Baldwin, J. E.)
Wallis, R. E. and Mould, J. R., Band strengths of M stars in the Orion population 625
Warner, P. J. (*see* Baldwin, J. E.)
Warren, P. R. (*see* Catchpole, R. M.)
Watkinson, A. (*see* Christiansen, W. N.)
Watson, M. G. (*see* Davison, P. J. N.)
Wayte, R. C. and Ring, J., A high-resolution Michelson interferometer for the Isaac Newton telescope 131
Wegner, G., Photometric observations of the supernovae in NGC 7723, NGC 1325 and NGC 4402. . 677
Wehinger, P. A. and Wyckoff, S., Seyfert galaxies with large z: an electronographic survey 211
Whelan, J. A. J. (*see* Boksenberg, A.)
Whelan, J. A. J. (*see* Caswell, J. L.)
Whelan, J. A. J. (*see* Carswell, R. F.)
White, G. J. and Ricketts, M. J., A deep search for X-ray emission from radio quasars with *Ariel V* . 435
White, N. E. (*see* Barr, P.)
Whitelock, P. A. (*see* Jorden, P. R.)
Wickramasinghe, D. T. and Bessell, M. S., Spectra of southern white dwarfs 713
Wickramasinghe, D. T. (*see* Caswell, J. L.)
Wickramasinghe, N. C. and Hoyle, F., Polysaccharides and the infrared spectrum of OH 26.5 + 0.6 . 51P
Williams, R. J. and John, T. L., Improved estimates of continuous absorption from the free–free transitions of C^- 483
Wyckoff, S. and Wehinger, P. A., Seyfert galaxies with large z: an electronographic survey 211
Wynn-Williams, C. G., Radio emission from the infrared source CRL 618: an extremely young planetary nebula 61P
Zeippen, C. J. (*see* Morton, D. C.)

SUBJECT INDEX

PAGE

Accretion and accretion discs

Nearly collisionless spherical accretion, *Mitchell C. Begelman* 347
Tidal torques on accretion discs in close binary systems, *J. Papaloizou and J. E. Pringle* 441

Black holes

Black hole and galaxy formation in a cold early Universe, *B. J. Carr* 293
Spectrum of a radio pulse from an exploding black hole, *R. D. Blandford* 489

Cosmic rays

Diffusion models for the low-frequency radio emission from the Galactic halo, *A. W. Strong* 311

Cosmology

Anisotropy in the Hubble parameter and large-scale cosmological inhomogeneity, *A. J. Fennelly* . . 121
Black hole and galaxy formation in a cold early Universe, *B. J. Carr* 293
Cosmological solutions of the mass integral formulation of general relativity, *I. W. Roxburgh* 637
Theoretical isochrones with decreasing gravitational constant – II. Dirac's multiplicative cosmology, *D. A. VandenBerg* 695
The homogeneity and isotropy of the Universe, *J. D. Barrow and R. A. Matzner* 719
Absolute magnitudes and Hubble plot for QSOs, *A. K. Kembhavi and V. K. Kulkarni* 19P
An upper limit to the cosmological variation of Planck's constant derived from the spectrum of the microwave background radiation, *G. M. Blake* 47P

Data reduction

Recovery of fringe visibility from recorded speckle images quantized to two levels, *R. H. T. Bates* . 365
The application of maximum entropy spectral analysis to the study of short-period variable stars, *J. R. Percy* 647

Distance scale

An observational check on the phase shifts determined by the angular diameter method of distance determination for classical Cepheids, *N. R. Evans* 85P

Galactic structure and stellar dynamics

On the motions of the Sun, the Galaxy and the Andromeda nebula, *D. Lynden-Bell and D. N. C. Lin* 37
Simulation of the Magellanic Stream to estimate the total mass of the Milky Way, *D. N. C. Lin and D. Lynden-Bell* 59
Diffusion models for the low-frequency radio emission from the Galactic halo, *A. W. Strong* 311
Survival and disruption of galactic substructure, *S. Michael Fall and Martin J. Rees* 37P

Galaxies

On the motions of the Sun, the Galaxy and the Andromeda nebula, *D. Lynden-Bell and D. N. C. Lin* 37
Anisotropy in the Hubble parameter and large-scale cosmological inhomogeneity, *A. J. Fennelly* . . 121
Observations of the NGC 7331/Stephan's Quintet area at 1421 MHz, *A. R. Gillespie* 149
Angular diameter counts of galaxies: a method for determining the selection criteria for deep Schmidt plates, *R. S. Ellis, R. Fong and S. Phillipps* 163
Observations of 15 southern extragalactic sources with the Fleurs synthesis telescope, *W. N. Christiansen, R. H. Frater, A. Watkinson, J. D. O'Sullivan, I. A. Lockhart and W. M. Goss* 183
Seyfert galaxies with large z: an electronographic survey, *P. A. Wehinger and S. Wyckoff* . . . 211
A study of the bridges in the radio galaxies 3C 132 and 3C 192 at metre and centimetre wavelengths, *Gopal-Krishna* 247
Black hole and galaxy formation in a cold early Universe, *B. J. Carr* 293
NGC 6521, a very large radio galaxy with an exceptional jet, *P. C. Waggett, P. J. Warner and J. E. Baldwin* 465
Neutral hydrogen in the outer regions of M31, *K. Newton and D. T. Emerson* 573

PAGE

Multifrequency radio observations of 3C 31: a large radio galaxy with jets and peculiar spectra, *S. F. Burch* 599
An increase in X-ray absorption of NGC 4151, *P. Barr, N. E. White, P. W. Sanford and J. C. Ives* . . . 43P
On the profiles of the broad lines in the spectra of QSOs and Seyfert galaxies, *H. Netzer* 89P
Ariel V Sky Survey: X-ray variability of NGC 5128, *A. Lawrence, J. P. Pye and M. Elvis* 93P

Galaxy clusters

Studies of rich clusters of galaxies – IV. Photometry of the Coma Cluster, *J. C. Godwin and J. V. Peach* 323
Dynamical friction in aspherical clusters, *J. Binney* 735
On the spatial distribution of heavy elements in X-ray emitting clusters of galaxies, *A. C. Fabian and J. E. Pringle* 5P
The X-ray temperatures of eight clusters of galaxies and their relationship to other cluster properties, *R. J. Mitchell, J. C. Ives and J. L. Culhane* 25P

Infrared astronomy

Infrared sources in the compact H II region G45.5 + 0.1, *P. R. Jorden, A. D. MacGregor, M. J. Selby, Patricia A. Whitelock and C. Sánchez Magro* 157
Near infrared photometry of globular clusters – VIII. The anomalous giant branch of ω Centauri, *T. Lloyd Evans* 591
Polysaccharides and the infrared spectrum of OH 26.5 + 0.6, *F. Hoyle and N. C. Wickramasinghe* . . 51P
Radio emission from the infrared source CRL 618: an extremely young planetary nebula, *C. G. Wynn-Williams* 61P

Instruments and techniques

A high-resolution Michelson interferometer for the Isaac Newton telescope, *R. C. Wayte and J. Ring* 131

Intergalactic medium

Limits on neutral hydrogen in the direction of PHL 957, *R. D. Davies, R. S. Booth and A. Pedlar* . . 1P
On the spatial distribution of heavy elements in X-ray emitting clusters of galaxies, *A. C. Fabian and J. E. Pringle* 5P
The X-ray temperatures of eight clusters of galaxies and their relationship to other cluster properties, *R. J. Mitchell, J. C. Ives and J. L. Culhane* 25P

Interstellar medium

Saturation effects in OH maser clouds, *R. D. Davies, R. S. Booth and J.-N. Perbet* 83
New OH masers in the direction of H_2O masers, *J. L. Caswell, R. F. Haynes and W. M. Goss* 427
Some oscillator strengths and the interstellar abundance of oxygen, *C. J. Zeippen, M. J. Seaton and D. C. Morton* 527
Non-anomalous diffuse interstellar absorption features in Rho Leonis, *J. C. Blades and W. B. Somerville* 769
Detection of the $J = 9 \rightarrow 8$ transition of interstellar cyanodiacetylene, *L. T. Little, P. W. Riley and D. N. Matheson* 33P
Polysaccharides and the infrared spectrum of OH 26.5 + 0.6, *F. Hoyle and N. C. Wickramasinghe* . . 51P

Magellanic clouds

Simulation of the Magellanic Stream to estimate the total mass of the Milky Way, *D. N. C. Lin and D. Lynden-Bell* 59

Meteors

The meteoric night-glow, *W. J. Baggaley* 203
Observations of overdense Quadrantid radio meteors and the variation of the position of stream maxima with meteor magnitude, *David W. Hughes and Ian W. Taylor* 517

PAGE

Nebulae – gaseous

Saturation effects in OH maser clouds, *R. D. Davies, R. S. Booth and J.-N. Perbet* 83
Infrared sources in the compact H II region G45.5 + 0.1, *P. R. Jorden, A. D. MacGregor, M. J. Selby, Patricia A. Whitelock and C. Sánchez Magro* 157
New OH masers in the direction of H_2O masers, *J. L. Caswell, R. F. Haynes and W. M. Goss* 427
Observations of the [O I], λ 6300 velocity field of NGC 7293, the 'Helix' nebula, *Keith Taylor* . . . 475
Line profiles from the ionized and neutral gas in the peculiar nebula NGC 6302, *K. H. Elliott and J. Meaburn* 499
Observations of radio sources near K3–50, *D. Colley and P. F. Scott* 703
Detection of the $J = 9 \rightarrow 8$ transition of interstellar cyanodiacetylene, *L. T. Little, P. W. Riley and D. N. Matheson* 33P
Polysaccharides and the infrared spectrum of OH 26.5 + 0.6, *F. Hoyle and N. C. Wickramasinghe* . . 51P

Nebulae – planetary

A study of the planetary nebulae Abell 30 and Abell 78, *Martin Cohen, H. S. Hudson, S. L. O'Dell and W. A. Stein* 233
Radio emission from the infrared source CRL 618: an extremely young planetary nebula, *C. G. Wynn-Williams* 61P

Night sky light

The meteoric night-glow, *W. J. Baggaley* 203

Occultations

Structure of Kepler's SNR and the Crab Nebula at 327 MHz from occultation observations, *T. Velusamy and N. V. G. Sarma* 455

Photometry – non-stellar

Photometric observations of the supernovae in NGC 7723, NGC 1325 and NGC 4402, *G. Wegner* . . 677

Physical processes

Saturation effects in OH maser clouds, *R. D. Davies, R. S. Booth and J.-N. Perbet* 83
Black hole and galaxy formation in a cold early Universe, *B. J. Carr* 293
Diffusion models for the low-frequency radio emission from the Galactic halo, *A. W. Strong* 311
A spherical model for the transient X-ray source A0620 – 00, *C. Dilworth, L. Maraschi, G. C. Perola and E. G. Tanzi* 339
Smoothed particle hydrodynamics: theory and application to non-spherical stars, *R. A. Gingold and J. J. Monaghan* 375
On the negative specific heat paradox, *D. Lynden-Bell and R. M. Lynden-Bell* 405
Tidal torques on accretion discs in close binary systems, *J. Papaloizou and J. E. Pringle* 441
Spectrum of a radio pulse from an exploding black hole, *R. D. Blandford* 489
The pulsation stability of models of normal and metallic-line A stars, *J. R. Percy* 563
Dynamical friction in aspherical clusters, *J. Binney* 735
Angular momentum and energy loss from pulsars, *N. J. Holloway* 9P
Survival and disruption of galactic substructure, *S. Michael Fall and Martin J. Rees* 37P

Pulsars

Pulsar interpulses – two poles or one?, *R. N. Manchester and A. G. Lyne* 761
Angular momentum and energy loss from pulsars, *N. J. Holloway* 9P
Angular size of the Crab Pulsar at 74 MHz, *W. A. Coles and J. J. Kaufman* 57P
The binary X-ray pulsar 3U 1538 – 52, *P. J. N. Davison, M. G. Watson and J. P. Pye* 73P

Quasars

A deep search for X-ray emission frpm radio quasars with *Ariel V, Glenn J. White and Martin J. Ricketts* 435

PAGE

Absolute magnitudes and Hubble plot for QSOs, *A. K. Kembhavi and V. K. Kulkarni* 19P
Confirmation of the highest redshift QSO candidates from the Tololo deep survey, *Malcolm G. Smith, A. Boksenberg, R. F. Carswell and J. A. J. Whelan* 67P
Q 0002 – 422: a QSO with $z_{abs} \ll z_{em}$, *J. A. J. Whelan, R. F. Carswell and M. G. Smith* 81P
An observational check on the phase shifts determined by the angular diameter method of distance determination for classical Cepheids, *N. R. Evans* 85P
On the profiles of the broad lines in the spectra of QSOs and Seyfert galaxies, *H. Netzer* 89P

Radiative transfer
Non-LTE transfer – III. Asymptotic expansion for small ϵ, *U. Frisch and H. Frisch* 273
Non-LTE transfer – IV. A rapidly convergent iterative method for the Wiener–Hopf integral equations, *H. Frisch and Ch. Froeschle* 281

Radio astronomy
Observations of the NGC 7331/Stephan's Quintet area at 1421 MHz, *A. R. Gillespie* 149
Observations of 15 southern extragalactic sources with the Fleurs synthesis telescope, *W. N. Christiansen, R. H. Frater, A. Watkinson, J. D. O'Sullivan, I. A. Lockhart and W. M. Goss* 183
A study of the bridges in the radio galaxies 3C 132 and 3C 192 at metre and centimetre wavelengths, *Gopal-Krishna* 247
The optical and radio counterpart of Circinus X-1 (3U 1516 – 56), *J. A. J. Whelan, S. K. Mayo, D. T. Wickramasinghe, P. G. Murdin, B. A. Peterson, T. G. Hawarden, A. J. Longmore, R. F. Haynes, W. M. Goss, L. W. Simons, J. L. Caswell, A. G. Little and W. B. McAdam* 259
Diffusion models for the low-frequency radio emission from the Galactic halo, *A. W. Strong* 311
New OH masers in the direction of H_2O masers, *J. L. Caswell, R. F. Haynes and W. M. Goss* 427
Structure of Kepler's SNR and the Crab Nebula at 327 MHz from occultation observations, *T. Velusamy and N. V. G. Sarma* 455
NGC 6521, a very large radio galaxy with an exceptional jet, *P. C. Waggett, P. J. Warner and J. E. Baldwin* 465
Spectrum of a radio pulse from an exploding black hole, *R. D. Blandford* 489
Observations of overdense Quadrantid radio meteors and the variation of the position of stream maxima with meteor magnitude, *David W. Hughes and Ian W. Taylor* 517
The 5C 9 survey of radio sources, *P. C. Waggett* 547
Neutral hydrogen in the outer regions of M31, *K. Newton and D. T. Emerson* 573
Multifrequency radio observations of 3C 31: a large radio galaxy with jets and peculiar spectra, *S. F. Burch* 599
Observations of radio sources near K3–50, *D. Colley and P. F. Scott* 703
Pulsar interpulses – two poles or one?, *R. N. Manchester and A. G. Lyne* 761
G127.1+0.5 – A remarkable supernova remnant centred on a very compact radio source?, *J. L Caswell* 789
Limits on neutral hydrogen in the direction of PHL 957, *R. D. Davies, R. S. Booth and A. Pedlar* . . 1P
Detection of the $J = 9 \rightarrow 8$ transition of interstellar cyanodiacetylene, *L. T. Little, P. W. Riley and D. N. Matheson* 33P
An upper limit to the cosmological variation of Planck's constant derived from the spectrum of the microwave background radiation, *G. M. Blake* 47P
Angular size of the Crab Pulsar at 74 MHz, *W. A. Coles and J. J. Kaufman* 57P
Radio emission from the infrared source CRL 618: an extremely young nebula, *C. G. Wynn-Williams* 61P
A further measurement of the 38-MHz flux density of Cas A, *P. L. Read* 63P

Relativity
Cosmological solutions of the mass integral formulation of general relativity, *I. W. Roxburgh* 637

Spectroscopy
Saturation effects in OH maser clouds, *R. D. Davies, R. S. Booth and J.-N. Perbet* 83
The analysis of satellites to the H-like ion resonance lines observed in the X-ray region, *V. A. Boiko, A. Ya. Faenov, S. A. Pikuz and U. I. Safranova* 107

PAGE

Improved estimates of continuous absorption from the free–free transitions of C^-, *T. L. John and R. J. Williams* 483
Line profiles from the ionized and neutral gas in the peculiar nebula NGC 6302, *K. H. Elliott and J. Meaburn* 499
Some oscillator strengths and the interstellar abundance of oxygen, *C. J. Zeippen, M. J. Seaton and D. C. Morton* 527
LTE line blanketing of an early B star atmosphere by ultraviolet lines using accurate damping constants, *A. P. Phillips* 777
On the profiles of the broad lines in the spectra of QSOs and Seyfert galaxies, *H. Netzer* 89P

Stars – binary

The distance of Cir X-1, *W. M. Goss and U. Mebold* 255
The optical and radio counterpart of Circinus X-1 (3U 1516 – 56), *J. A. J. Whelan, S. K. Mayo, D. T. Wickramasinghe, P. F. Murdin, B. A. Peterson, T. G. Hawarden, A. J. Longmore, R. F. Haynes, W. M. Goss, L. W. Simons, J. L. Caswell, A. G. Little and W. B. McAdam* 259
Tidal torques on accretion discs in close binary systems, *J. Papaloizou and J. E. Pringle* 441
BD – 3° 5357: an eclipsing binary with a hot subdwarf component, *M. M. Dworetsky, Howard H. Lanning, Paul B. Etzel and Darryl J. Patenaude* 13P
The binary X-ray pulsar 3U 1538 – 52, *P. J. N. Davison, M. G. Watson and J. P. Pye* 73P

Stars – chemical composition of

Carbon and nitrogen abundances in F- and G-type stars, *R. E. S. Clegg* 1
The carbon and nitrogen abundances of Gamma Pavonis, *R. A. Bell, R. E. S. Clegg and A. L. T. Powell* 31
The chemical composition of the Nova Cephei 1971 ejecta, *J. A. de Freitas Pacheco* 421
An abundance analysis of Tau Herculis, B5 IV, *S. J. Adelman* 667

Stars – clusters of

J, H, K photometry in the globular cluster Omega Centauri and the spread of the giant branch, *I. S. Glass and M. W. Feast* 509
Near infrared photometry of globular clusters – VIII. The anomalous giant branch of ω Centauri, *T. Lloyd Evans* 591
The Lambda Orionis association, *P. Murdin and M. V. Penston* 657
The Galactic cluster NGC 2527, *R. J. Dodd, H. T. MacGillivray and R. W. Hilditch* 729
Dynamical friction in aspherical clusters, *J. Binney* 735

Stars – magnetic fields in

Models of magnetic stars – IV: the perpendicular rotator with meridional circulation, *D. Moss* . . . 747

Stars – photometry of

Spectroscopic radial velocity and photometric observations of barium stars, *R. M. Catchpole, B. S. C. Robertson and P. R. Warren* 391
J, H, K photometry in the globular cluster Omega Centauri and the spread of the giant branch, *I. S. Glass and M. W. Feast* 509
Near infrared photometry of globular clusters – VIII. The anomaloous giant branch of ω Centauri, *T. Lloyd Evans* 591
Photometry of faint blue stars – IV. Four-colour photometry of some northern stars, *D. Kilkenny* . 611

Stars – spectroscopy of

Spectroscopic radial velocity and photometric observations of barium stars, *R. M. Catchpole, B. S. C. Robertson and P. R. Warren* 391
Band strengths of M stars in the Orion population, *J. R. Mould and R. E. Wallis* 625
Spectra of southern white dwarfs, *D. T. Wickramasinghe and M. S. Bessell* 713

PAGE

Non-anomalous diffuse interstellar absorption features in Rho Leonis, *J. C. Blades and W. B. Somerville* 769
LTE line blanketing of an early B star atmosphere by ultraviolet lines using accurate damping constants, *A. P. Phillips* 777

Stars – structure and evolution of

Smoothed particle hydrodynamics: theory and application to non-spherical stars, *R. A. Gingold and J. J. Monaghan* 375

Stars – variable

A spherical model for the transient X-ray source A0620 – 00, *C. Dilworth, L. Maraschi, G. C. Perola and E. G. Tanzi* 339
The chemical composition of the Nova Cephei 1971 ejecta, *J. A. de Freitas Pacheco* 421
The pulsational stability of models of normal and metallic-line A stars, *J. R. Percy* 563
The 580-day and other periodicities in X Persei, *J. B. Hutchings* 619
The application of maximum entropy spectral analysis to the study of short-period variable stars, *J. R. Percy* 647
The energy distribution and the recent light history of X Persei, *P. Persi, R. Viotti and M. Ferrari-Toniolo* 685
An observational check on the phase shifts determined by the angular diameter method of distance determination for classical Cepheids, *N. R. Evans* 85P

Stars – velocities of

On the motions of the Sun, the Galaxy and the Andromeda nebula, *D. Lynden-Bell and D. N. C. Lin* 37
Spectroscopic radial velocity and photometric observations of barium stars, *R. M. Catchpole, B. S. C. Robertson and P. R. Warren* 391

Supernovae and supernova remnants

Structure of Kepler's SNR and the Crab Nebula at 327 MHz from occultation observations, *T. Velusamy and N. V. G. Sarma* 455
A new optical supernova in Crux, *A. J. Longmore, D. H. Clark and P. Murdin* 541
Photometric observations of the supernovae in NGC 7723, NGC 1325 and NGC 4402, *G. Wegner* . . 677
G127.1+0.5 – A remarkable supernova remnant centred on a very compact radio source?, *J. L. Caswell* 789
A further measurement of the 38-MHz flux density of Cas A, *P. L. Read* 63P

X-ray astronomy

The analysis of satellites to the H-like ion resonance lines observed in the X-ray region, *V. A. Boiko, A. Ya. Faenov, S. A. Pikuz and U. I. Safranova* 107
The distance of Cir X-1, *W. M. Goss and U. Mebold* 255
The optical and radio counterpart of Circinus X-1, *J. A. J. Whelan, S. K. Mayo, D. T. Wickramasinghe, P. G. Murdin, B. A. Peterson, T. G. Hawarden, A. J. Longmore, R. F. Haynes, W. M. Goss, L. W. Simons, J. L. Caswell, A. G. Little and W. B. McAdam* 259
A spherical model for the transient X-ray source A0620 – 00, *C. Dilworth, L. Maraschi, G. C. Perola and E. G. Tanzi* 339
A deep search for X-ray emission from radio quasars with *Ariel V*, *Glenn J. White and Martin J. Ricketts* 435
On the spatial distribution of heavy elements in X-ray emitting clusters of galaxies, *A. C. Fabian and J. E. Pringle* 5P
The X-ray temperatures of eight clusters of galaxies and their relationship to other cluster properties, *R. J. Mitchell, J. C. Ives and J. L. Culhane* 25P
An increase in X-ray absorption of NGC 4151, *P. Barr, N. E. White, P. W. Sanford and J. C. Ives* . . . 43P
The binary X-ray pulsar 3U 1538 – 52, *P. J. N. Davison, M. G. Watson and J. P. Pye* 73P
Ariel V Sky Survey: X-ray variability of NGC 5128, *A. Lawrence, J. P. Pye and M. Elvis* 93P

QB
1
R7